



reddot design award
winner



BIGSEE
PRODUCT DESIGN
AWARD
2018



BY CHICAGO ATHENAEUM



Biba

Tiny sophistication

Everybody loves Biba

Individually or in a matching composition, sophistication is the look you get. Think about Biba if you're planning an elegant restaurant, minimalistic hotel lobby, Scandinavian-inspired bar, urban retail experience or even your home dining room and let it suit your taste.

Combine shapes and colours in an endless fusion of possibilities, which will lead you from simple and sophisticated, to a luminaire composition that really lets your ideas fly.

Amata da tutti

Singola o in composizioni multiple, esprimerà tutta la sua raffinatezza. Pensa a Biba quando progetterai un ristorante elegante, una hall minimalista, un bar di ispirazione scandinava, un negozio in stile urbano o la sala da pranzo di una casa, lasciando che si adatti ai tuoi gusti.

Combina forme e colori in un'infinita fusione di varianti. Fatti trasportare da semplicità e originalità, senza porre limiti alle tue idee.

Tout le monde aime Biba

Individuellement ou dans une composition assortie, la sophistication est le look que vous obtiendrez. Pensez à Biba si vous planifiez la construction d'un restaurant élégant, d'un hall d'hôtel minimaliste, d'un bar d'inspiration scandinave, d'une boutique en milieu urbain ou même de votre salle à manger et adaptez-le à vos goûts.

Combinez les formes et les couleurs dans une profusion de possibilités, pour obtenir une composition de luminaires, du plus simple au plus sophistiqué, qui fera voler vos idées en éclats.







The product has a custom colour.



0,8 kg
1,8 lb

Due to its weight, the cable is always taut



The aluminium body works as a cooling system

Regressed light source reduces the glare

MAIN FEATURES



Biba is small

Smaller than you thought. But only by its size, not by its effect. Everyone notices and admires it. Its clean lines and carefully chosen shapes will enhance your space.

Something for your taste

The best stories happen at the table, and Biba loves to be part of that. A regressed light source and installation at the right height will offer high visual comfort with low glare. It will create a great ambient for conversations, and due to a good colour rendering, the food will be even more appetizing.



Create your pattern of shapes and colours

Combining shapes and colours in an endless fusion of possibilities will lead you from simple and sophisticated, to a luminaire that lets your ideas fly.



Details that make a difference

Biba is made of single aluminium piece. The transition between the power cable and the luminaire is seamless. Its substantial weight guarantees constant straight tension of the cable and pure aluminium case works as a cooling system for the lighting source.





Cable decentralizer for moving the position of the single luminaire, the cables stay taut.

Cable holder for cables becoming part of the design

MAIN FEATURES



Sometimes one simply isn't enough

Choose a cluster ceiling cup when you want to create a group of products closely together. The driver is integrated in the ceiling cup.

Cluster composition

In the case of a remote power-in position, this can be just a functional feature. But it is suitable also when you want a more dynamic composition and the cables to become part of the design. 3-7 spots can be connected to a cluster.



Biba

Technical Overview




FAMILY MEMBER



TECH. SPECS

LUMINAIRE LUMINOUS FLUX	LED COLOUR	BEAM ANGLE	DRIVER	DRIVER POSITION
520 - 850 lm	927, 930, 935, 940	20°, 30°, 55°	Casambi, DALI, FO	Ceiling cup / Remote

COLOURS



≥ 95 %

GR1

CASAMBI



WARRANTY



Light source: High-power COB LED, CRI>90, MacAdam≤2, 50.000h L90 B10 at 35°C. **Optic:** Highly efficient with uniform distribution, metalized polycarbonate with lacquer finish. **Body:** Aluminium, powder or PVD coated. **Ceiling cup:** Ceiling cup with or without driver must be ordered separately. **Control gear:** Constant current driver - order separately. **Power supply:** 125 - 600 mA.

Sorgente: COB LED High-power, CRI>90, MacAdam≤2, 50.000h L90 B10 a 35°C. **Ottica:** Ottica ad alta efficienza con distribuzione uniforme, polycarbonato metallizzato tramite laccatura. **Corpo:** Alluminio, verniciato a polvere o PVD. **Rosone:** Rosone con o senza alimentatore da ordinare separatamente. **Alimentazione:** Alimentatore a corrente costante - ordinare separatamente. **Alimentatore:** 125 - 600mA.

Source de luminaire: LED haute puissance, IRC > 90, MacAdam≤2, 50.000h L90 B10 à 35°C. **Optique:** Haute efficacité avec une distribution uniforme, polycarbonate métallisé avec finition laquée. **Corps:** Revêtement aluminium, poudre ou PVD. **La patère:** Patère avec ou sans driver doit être commandé séparément. **Alimentation:** Driver à courant constant - à commander séparément. **Alimentation:** 125 - 600mA.