



Pipes Tube

Vertical accent

Every space should have something intriguing and thus precious

Pipes Tube is meant to enhance the space. As a strong decorative element, it draws attention. Still, its form is simple enough to blend in with the surroundings.

A variety of sizes and colours allow you to be creative in compositions and to add a personal touch to every space.

Per uno spazio intrigante e prezioso

Pipes Tube è nato per esaltare ogni spazio, l'estetica decisa attira inevitabilmente l'attenzione. Eppure è così minimal da adattarsi a ogni tipo di ambiente. La varietà di dimensioni e colori consente di realizzare composizioni creative, aggiungendo un tocco distintivo a ogni spazio.

Chaque espace devrait avoir quelque chose d'intrigant et donc de précieux

Pipes Tube est conçu pour mettre en valeur l'espace. Élément décoratif de fort caractère, il attire l'attention. Sa forme reste toutefois suffisamment simple pour qu'il s'intègre parfaitement à son cadre. La grande variété de dimensions et de couleurs vous permet de créer diverses compositions et d'ajouter une touche personnelle à tous les espaces.







109 **Mariënburg**, Den Bosch, The Netherlands / A: BiermanHenket Architecten / LD: Lichtwerk & POP Light B.V. / P: Joep Jacobs



Expo Milano, Slovenia pavilion, Milano, Italy / Architecture: SoNo Architects / Photography: Žiga Lovšin
Music Center, Raanan, Israel / Architecture: Nofar Architects / Photographer: Diego Rosman
King's House BLED, BLED, Slovenia / Architecture: Sadar+Vuga / Photography: Miran Kambič




MAIN FEATURES



Timeless design

Clean lines and carefully chosen colours create the best timeless highlights in space. There are various lengths and diameters available.



Black or white funnel?





You can choose a white or black funnel colour on the Pipes Tube S 100 version. Black funnel will reduce the glare.

Pipes Tube

Technical Overview



	SINGLE S 45 Suspended	SINGLE C/S 100 Ceiling / Suspended	CLUSTER C/S S Ceiling / Suspended Small	CLUSTER C/S L Ceiling / Suspended Large
Beam angle	20°, 30°, 55°	30°, 40°, 60°	30°, 40°, 60°	30°, 40°, 60°
Luminaire luminous flux	up to 960 lm (20°, 30°), 1150 lm (55°)	2300 - 3600 lm	2300 - 3600 lm	4600 - 7100 lm
LED colour	927, 930, 935, 940	827, 830, 840, 930, 935, 940	827, 830, 835, 840, 930, 940	827, 830, 835, 840, 930, 940
Driver	Casambi, DALI, FO	Casambi, DALI, FO	Casambi, DALI, FO	Casambi, DALI, FO
Driver position	Integrated	Integrated	Integrated	Integrated
Dimensions	H (mm): 590, 890, 1480 SH (mm): 1500, 3000, 5000	H (mm): 490 - 1980 SH (mm): 1500, 3000, 5000	SH (mm): 1500, 3000, 5000	SH (mm): 1500, 3000, 5000



Honeycomb available for all sizes except S 45.

Standard: **B D J** Special colours:



Light source: High-power COB LED, CRI>80/90, MacAdam≤2, 50.000h L90 B10 at 35°C. **Optic:** Highly efficient with uniform distribution, metalized polycarbonate with lacquer finish. **Body:** Aluminium, powder coated. **Control gear:** Integrated highly-efficient driver with fixed output (FO) or dimmable (DALI-TD, Casambi). **Power supply:** 230V 50Hz.

Sorgente: Modulo high-power COB LED, CRI>80/90, MacAdam≤2, 50.000h L90 B10 a 35°C. **Ottica:** Ottica ad alta efficienza con distribuzione uniforme, polycarbonato metallizzato tramite laccatura. **Corpo:** Alluminio, verniciatura a polvere. **Alimentazione:** Alimentatore ad alta efficienza on/off (FO) o dimmerabile (DALI-TD, Casambi) integrato. **Alimentatore:** 230V 50Hz.

Source de luminaire: Module COB LED haute puissance, IRC> 80/90, MacAdam ≤ 2, 50.000h, L90 B10. **Optique:** Haute efficacité avec une distribution uniforme, polycarbonate métallisé avec finition laquée. **Corps:** Revêtement aluminium à poudre. **Alimentation:** Driver intégré haute efficacité avec sortie fixe (FO) ou gradable (DALI-TD) **Alimentation:** 230V 50Hz.